

Healing Frequency

Instructions

"Step-by-step" instructions for "Healing Frequency" A small introduction to the application of the software



HOME FIRST STEPS V CHIPCARDS V ONLINE LIBRARY V HEALING FREQUENCY BLOG FAQ CONTACT 🚟 ENGLISH (ENGLISH) V

The new online library for harmonic and healing frequencies

In the online library, you will find the HEAL library by naturopath Alan E. Baklayan and a list of frequencies by Dr. Hulda R. Clark and Dr. Royal Raymond Rife. You can search for indications that are to be treated such as allergies, viruses, parasites, and much more in our database. You can also create your own chipcards that you can pass on to your patients.



Software Version: 1.2.0.0 (Stand: 11.07.2017 – changes reserved)

Table of contents

Instructions to download the software (under: www.healingfrequency.com)	5-6
Overview: Achievement extent the free standard version	6
Use of the software (standard version): Short introduction and explanation	
of the different possibilities	7-9
Use of the accessories: right contact with the USB – chipcard writer,	
the chipcards and the functions linked with it	[10-15]
The USB – chipcard writer	10-11
Using and describing of standard chipcards	11-14
Other symbolic explanations and their functions	14-15
Use of the chipcards with Diamond Shield OR Biowave	15
Overview: extended range of services of the paid Pro Version	
Instructions for unlocking the paid Pro Version	
Use of the software (Pro Version): Short introduction and explanation	
of the different possibilities	
Choice of the Zapper - model: Diamond Shield or Biowave	21
Language selection of the software	22
Price list "Healing Frequency" (software and accessories)	23





"Step-by-step" instructions for "Healing Frequency" A small introduction to the application of the software

(Software Version: 1.2.0.0) (Stand: 11.07.2017 -changes reserved)

In this paper all single steps should be explained involved in the use of the "Healing Frequency" software and be explained clearly with the help of pictures. If you are not sure with one of the different, single steps anymore, this small handout should be a useful addition as a kind of "booklet". If, on the other hand, you have not yet dealt with the software at all, you can use this guide to build up a basic knowledge base.



Illustration 1: "Homepage of the Healing Frequency website" (www.healing frequency.com)

Before you can work with this handout and the software, you must download the free standard version of the software first (see also Illustration 1):

https://www.healingfrequency.com

(see also Illustration 21, page 16 of this manual)

On the website of the "Healing Frequency" you have the possibility to download the software or the setup by clicking on the button "Download software" (see Illustration 2). Once this download has been completed, the file "CcCreatorSetup.exe" can be started in the download list and the installation begins (see Illustration 3 and 4). As you can see in the two images (Illustration 3 and 4), a normal installation process now starts. If this has been terminated without an error message, the software (the so-called "Chipcard Creator") can be started. You will find out which Zapper models are suitable for the "Healing Frequency" software on page 24 - 26 of this handout.



Illustration 2: "Download current software" (www.healingfrequency.com)

Chipcard Creator Setup Welcome	×	 Chipcard Creator Setup Destination Folder Please select the destination folder for the program. 		×
This program will install Chipca computer. Please visit also our homepage: healingfrequency.com	rd Creator on your	Please select the destination folder:		
Press Next to install or Cancel	to exit.	(C:\Program Files (x86)\CcCreator		
< <u>B</u> ack	Next > Cancel	Healing Frequency Limited	< <u>B</u> ack <u>N</u> ext > <u>C</u>	ancel

Illustration 3: "Chipcard Creator Setup"



As long as you have only installed this newly downloaded free version – and not the Pro version (for more information, see page 16) – , the program has the following range:

- Frequencies according to Dr. Clark and Dr. Rife
- Frequencies according to natural health professional Alan E. Baklayan
- Standard programs (Chipcard)
- TCM programs (Acupuncture without needles) \rightarrow coming soon and will be added in one of the upcoming updates
- Search for different indications
- Writing on standard chipcards (with the free software version it is only possible to write on the chipcards (available in different sizes) for one time!)

After successfully installing the program, the default startup screen of the Chipcard Creator will follow when you open the program (Illustration 5).

 Chipcard Creator 	starting lines with the local	the statement of the local division of the l	-	-	and the second se			- x
Library Edit pro	grams			Zapper	Diamond Shield 💲 🔅			
	٩	Select the libraries to	search:	✔ Chipcard	Clark Rife			
Library	Indications	Also for		Nr.	Details			
Chipcard Veneral disease according to AIDS Hf Dr. Clark	IV	Veneral disease Syphilis Trepomena pallidum Wart H-Dervical smear Wart H-PC Herpes simplex 1 Herpes simplex 1 Herpes simplex 3 Herpes simplex 3 Herpes Simplex 1 Herpes Simplex	2	2	C23-01 d1 ≪> C0 (8.0 seconds) 5.0 ∨ Offset 20% + 0.3 ∨ 6 minutes 25 seconds C23-02 h0 ≪> h1 (8.0 seconds) 6.0 ∨ Offset 50% + 0.3 ∨ 6 minutes 25 seconds	_		
Chipcard ALS Amportophic Lateral ALS Am Scientist according to Dr. Scienosi Clark	nyotrophic Lateral sis	Fasciola hepatica Cionorchia sinensia Fasciolopsis buski Eurytema panceaticum Shigelia 1 Shigelia 2 Shigelia 2 Chinosarphium recuvatum Echinosarphium recuvatum Gastrothylax elongatus Shipelpicoccus 2 Steptococcus	•	3	C23-03 C1 ← < 0 (8.0 seconds) 5.0 ∨ 50% + 0.3 ∨ 6 minutes 23 seconds C23-04 30 ← > 0 (8 0 seconds) 5.0 ∨ 6 0 ∨ 6 minutes 23 seconds C23-05 C23-05 C23-05 C23-05 C23-05		Please insert a chipcard	
Chipcard 5 Elements Fire Support Abdome according to Baklayan	en - pain	5 Elements Fire Support Concentration power reduced Diarrhea Insomnia Palpitation Perspiration – spontaneous Reduced ability to remember Stool with undigested residues Precordial anxiety 5 Elements Fire Damping	* 1	6	5.0 V Ofher£50% + 0.3 V 6 minutes 23 seconds C23:06 h1 < > d1 (8.0 seconds) 5.0 V Ofher£50% + 0.3 V 6 minutes 23 seconds C73:07			
71 items found	F G H I	screture in constructions for second	NO	Total run ti	et ex hh /R nearantet me: 83 minutes and 0 seconds S. T. U. V. W. X. Y.	z		

Illustration 5: "Start screen of the Chipcard Creator"

In the upper left corner you can search for all indications, complaints, diagnoses, search words and terms in the search bar (see Illustration 5, blue marked) (Illustration 7: Example "Asthma", Illustration 8: Example "Teeth"). In addition, you can select which libraries you want to search for (Illustration 5, red marked). If, for example, you want to search for something only in the Clark frequencies, put the corresponding hook just here, etc. These examples can be extended as desired, but the basic idea should already be clear.

From the latest version of the software (version 1.2.0.0), you can now also display all libraries in alphabetical order, without having to provide a specific search term (Illustration 5, orange marked). You can simply click through all the letters and search the libraries and indications, even without a specific search request (Illustration 5, blue marked). The new letter index provides you the following possibilities:

- You can now sort and search the libraries by letter;
- the index contains the German umlauts when the language is set to "German";
- when you press a letter, all listings beginning with this letter are displayed;
- If you press a letter, the current search text is deleted (provided of course there was one at all);
- If you are using the normal search, the current letter is reset;
- Listings beginning with an "A" are already displayed when the page is loaded (start screen of the chipcard creator, as it is normally started or opened);
- when switching the libraries, the selected letter is retained;

There are also one or two additional symbols for the various entries (see Illustration 5, pink marked):



With this button, you can download the frequency (or frequencies) according to the present version (so either on standard chipcards with the free version or on master chipcards with the paid Pro version) (more detailed information later)



Alternatively, use the pictured button to read further information on the selected indication (see Illustration 5 and 6, pink marked).

🐑 Chipcard Creator	- Andrew Statements		-						• ×
Library	Edit programs			Zapper	Biowave 🗘	Ø	×		
	<u> </u>	Select the libraries to	search: 🖣	Chipcard	Clark Rife				
Library	Indications	Also for		Nr.	Details				
Chipcard Veneral disease accordi Dr. Clark	ig to AIDS HIV	Veneral disease Synbilis Treponema pallidum Wart HP Gerucial smear Wart HP/Cerucial smear Herpes simplex 1 Herpes simplex 2 Herpes bindiex 3 Hepaths B Chiamydia Neisseria gonorrhea Trichomonas Trichomonas		2	C23-01 d1> c0 (8.0 seconds) 5.0 V Offbet 50% - 0.3 V 6 minulike 23 seconds C23-02 h0> f1 (8.0 seconds) 5.0 V Offbet 50% - 0.3 V 6 minulike 23 seconds		•		
Chipcard ALS Amyotrophic Latera Scierosis according to D Clark	ALS Amyotrophic Lateral Scierosis	Fasciola hepatica Clonorchis sinensis Fasciolopis buski Eurytema pancreaticum Shigelia 1 Shigelia 3 Nocardia 1 Nocardia 2 Echinostoma revolutum Echinostoma revolutum		3	C23-03 c1 ← c0 (8.0 seconds) 5.0 ∨ Offset 50% + 0.3 ∨ 6 minutes 23 seconds C23-04 a0 ← e0 (8.0 seconds) 5.0 ∨			Please insert a chipcard	
		Gastrothylax elongatus Streptococcus 1 Streptococcus 2 Streptococcus 3 Staphylococcus		5	Onset: 30% *0.3 v 6 minutes 23 seconds C23-05 d0 <-> e0 (8.0 seconds)				
Chipcard 5 Elements Fire Support according to Baklayan	Abdomen - pain	5 Elements Fire Support Concentration power reduced Diarrhea Insomnia Palpitation Perspiration – spontaneous Reduced ability to remember	i	6	5.0 V Offset:50% + 0.3 V 6 minutes 23 seconds C23-06 h1 <-> d1 (8.0 seconds) 5.0 V				
		5 Elements Fire Damping radiating into loins, hips scrotum testicles	5-Elements The element regulates th meridians ar	-ChipCard Fire t fire in the Chi e heart and sm nd their functio	s support s s		÷		
71 items found	DEFGH	1 J K L M	NO	Total run t	time: 83 minutes and 0 se	conds	Z		

Illustration 6: "Information text for individual indications"

Chipcard Creator	All Contractor		-							×
Library	Edit programs			Zapper	Diamond SI	hield 🗘	Ø			
Asthma	<u> </u>	Select the libraries to se	earch: 🖌	Chipcard	Clark	Rife				
Library	Indications	Also for		Nr.		Details				
Chipcard Aspergillus according to Baklayan	Asthma	Aspergillus Hay fever Liver stressed Cancer Alcohol intoxication	i	1	ASP 1 d0 <-> e1 (4.0 se 1.6 V Offset: 50% + 0.3 7 minutes	econds) 3 V				
Chipcard Asthma according to Dr. Clark	Astrima	Ascaris Bacteroides fragilis Costackie Virus Paragoninus Pneumocystis carinii Afatoxin 1 Afatoxin 1 Afatoxin 2 Cytochalasin 8 2 Sterigmatocystin 1 Sterigmatocystin 2 Sterigmatocystin 3 Sterigmatocystin 4 Zaaralenon Sterigmatocystin 4 Zaaralenon Sterigomatocystin 4		2	ASP 2 h0 ≪ e0 (4.0 se 1.6 V Offset 50% + 0.3 3 minutes	econds) 3∨			Please insert a chipcard	
Rife	Asthma bronchiale Bronchial asthma									
Rife	Asthma bronchiale Bronchial asthma									
Chipcard Asthma according to Baklayan	Asthma Bronchial Asthma	Ascarisi Aspergillus Candida Roundworm Cough, chronic Bronchills Pheumonia Neurodermalits	i							
7 items found				Total run tii	me: 10 minute	es and 0 se	conds			
A B C	DEFGH	IJKLMI	N O F	PQR	ST	U V W	XY	Z		

Illustration 7: "Example case: Keyword Asthma"

🐑 Chipcard Creator	r al landstation	of Annual Supplements of the Annual Supplements		A CONTRACTOR OF A CONTRACTOR	
Library	Edit programs			er Dlamond Shield 🗘 🔅	
Teeth	٩	Select the libraries to sear	rch: 🖌 Chipcar	rd 🗹 Clark 🖌 Rife	
Library	Indications	Also for	Nr.	Details	
Chipcard Teeth according to Baklayan	Teeth	Dental focus	i 1	1 h0 ≪→ f1 (4.0 seconds) 1.6 ∨ Offset 50% + 0.3 ∨	
Chipcard Teeth bacteria /Dental bacteria according to Dr. Clark	Teeth bacteria /Dental bacteria	Steptococcus 1 Steptococcus 2 Steptococcus 2 Steptococcus 2 Costidum 1 Costidum 1 Alpha Steptococcus Alpha Steptococcus Alpha Steptococcus Nocardia 1 Nocardia 1 Realtus anthracis 1 Bacillus anthracis 3 Connebacterium diphteniae Lactibacillus actiophius	2	3 minutes 30 seconds 2 2 2 1 ↔ 80 (4.0 seconds) 1.6 V Offset: 50% + 0.3 V 3 3 7 0 ↔ 61 (4.0 seconds) 1.6 V Offset: 50% + 0.3 V 3 minutes 30 seconds 4	Please insert a
Chipcard Clostridia according to Baklayan	Teeth root canal treated Teeth foci	Clostridia Tumor, Cancer Intestinal flora - regeneration	4	e1 ↔ c0 (4.0 seconds) 1.6 ∨ Offset 50% + 0.3 ∨ 7 minutes	cnipcara
Rife	teeth regeneration		5	5 e1 ≪> a0 (4.0 seconds) 1.6 ∨ Offset: 50% + 0.3 ∨ 3 minutes 30 seconds	
			6	6 6 1 ←→ d1 (4.0 seconds) 7 0 Sec 50% + 0.3 V 3 minutes 30 seconds 7 0 ← D1 (40 seconds)	
4 items found	DEFG	H I J K L M N	Total ru	In time: 41 minutes and 30 seconds	Ζ

Illustration 8: "Example case: Keyword Teeth"

So far so good. In order to obtain for example desired sequences on one of the Diamond Shield Zapper models (see also page 24 - 26), they must be written on a chipcard first (whether it is a standard chipcard of the free standard version or multiple writable masters chipcard for the paid Pro Version).

For this, an empty chipcard (of course, always according to the software version which is used!) must be plugged into the USB – chipcard writer and then connected to a free USB port of the computer. Here a brief description:

<u>Attention</u>: Depending on which of the following two USB chipcard writers ("red" or "white") you have acquired, the following brief descriptions differ by small nuances. Please follow the description according to your available USB chipcard writer.

USB – chipcard writer (red): purchase of a Starter-Set BEFORE March / April 2017



In order to be able to describe chipcards at all (whether it is a standard chipcard or a multiple writable master chipcard, which can only be used with the paid Pro version), you need a USB – chipcard writer (in this case a "red" one) (see Illustration 9).

Illustration 9: "USB – chipcard writer (red)"

Since the correct use of the chipcards with the chipcard writer has often led to difficulties, you will also find pictures for the correct use of the USB chipcard writer (variant "red") and the chipcard, which has to be inserted **(Illustration 10 and 11)**:





Illustration 10: "Proper use of the chipcard"

Illustration 11: "Proper use of the chipcard"

If you have inserted the chipcard correctly into the USB – chipcard writer (whether it is a standard chipcard or a master chipcard) (as shown in Illustration 10 and 11), you can connect the USB – chipcard writer to a free USB slot of your computer. System requirements for the software are:

- Computer with Windows 7 / Windows 8.1 / Windows 10
- USB slot / internet connection

USB – chipcard writer (white): purchase of a Starter-Set AFTER March / April 2017



In order to be able to describe chipcards at all (whether it is a standard chipcard or a multiple writable master chipcard, which can only be used with the paid Pro version), you need a USB – chipcard writer (in this case in a "white" version) (Illustration 12 and 13).

Since the correct use of the chipcards with the chipcard writer has often led to difficulties, you will also find pictures for the correct use of the USB chipcard writer (variant "white") and the chipcard, which has to be inserted **(Illustration 14 and 15)**:





Illustration 14: "Proper use of the chipcard"

Illustration 15: "Proper use of the chipcard"

If you have inserted the chipcard correctly into the USB – chipcard writer (whether it is a standard chipcard or a master chipcard) (as shown in Illustration 14 and 15), you can connect the USB – chipcard writer to a free USB slot of your computer. System requirements for the software are:

- Computer with Windows 7 / Windows 8.1 / Windows 10
- USB slot / internet connection

If this second preparatory step has worked without problems (after installing the software), the view within the software should change as follows (Illustration 16, blue marked):



Illustration 16: "Start screen of the Chipcard Creator with attached USB – chipcard writer and standard chipcard (20 slots)"



On the right side, the chipcard (which is currently in your plugged in USB – chipcard writer on a free USB port of your computer) can now be seen. In this example, a standard

chipcard in size S (20 slots) (see Illustration 16). In the upper right chip card area in the middle (see Illustration 16, red marked), you can also see how many sequences and / or programs can still be written to this chipcard – in this case the chipcard is still empty (see Illustration 16).

If you want to see indications from the Clark or Rife library – please make sure that the appropriate hooks are set correctly! (Illustration 17 and 18: red marked) – and then load it on a chipcard, it shows how much memory the selected indication needs, or how much memory is still available on the chipcard.

To illustrate this, here an example case: You would like to load the indication "ADHD, ADS" from the Rife library (Illustration 17, green marked) to your standard chipcard (size S) (Illustration 17 and 18). If you now select this indication, you will see how many programs (slots) it would use on your chipcard (Illustration 17 and 18, orange marked). Now, if the example indication "ADHD, ADS" is applied to your chipcard using the provided button (see also Illustration 5, pink marked), the capacity of the free memory space on the chipcard also changes (compare Illustration 17 with Illustration 18, blue marked).

Chipcard Creator	to a characteristic	the state of the second s					alla		0	and u Da min	
Library	Edit programs				Diamond	Shield 🗘	Q				
	Q	Select the libraries to searc		Chipcard	 Clark 	✔ Rife			Chipcard	20 programs free	
[1
Rife	ADHD	Also for Dyslexia		Nr.	3Hz 0.5 V	Details					
Dife	ADS				Offset 0 V 4 minutes 230Hz						
1110	ABO		_	2	0.5 V Offset 0 V						
Rife	AIDS Virus	HIV			4 minutes						
Rife	AIDS Virus	HIV									
Rife	AIDS Virus	HIV									
Rife	AIDS Virus	HIV									
Rife	AIDS Virus	HIV									
Rife	ALS Amyotrophic lateral sclerosis										
Rife	Abdominal Inflammation										
Rife	Abdominal Inflammation										
Rife	Abdominal Inflammation										
			•								
210 items fou	und			Total run t	time: 8 minu	ites and 0 sec	onds				
A B C	DEFGH	I J K L M N	0 P	QR	S T	UVW	ХУ	Ζ			

Illustration 17: "Example case ADHS, ADS (Rife): Indication transferred to a standard chipcard" (memory space)

🐑 Chipcard Creator	a sub-	And and a support from the	test testatest			*					-				x
Library	Edit programs				Diamond	Shield 🗘	Ø			-	•	X		-	•
	<u>Q</u>	Select the libraries	to search:	Chipcard	 Clark 	✓ Rife				Chipcar	d ()	9 sequen 18 progra	ces free ms free		
Library	Indications	Also for		Nr.		Details				> ADHD		8:00	2		
Rife	ADHD ADD	Dyslexia	1	1	3Hz 0.5 V Offset 0 V 4 minutes				L			0100		J	
Rife	AIDS			2	230Hz 0.5 V Offset 0 V										
Rife	AIDS Virus	HIV	1		4 minutes										
Rife	AIDS Virus	HIV													
Rife	AIDS Virus	HIV													
Rife	AIDS Virus	HIV													
Rife	AIDS Virus	HIV													
Rife	ALS Amyotrophic lateral sclerosis		1												
Rife	Abdominal Inflammation														
Rife	Abdominal Inflammation		-												
Rife	Abdominal Inflammation														
			-					l							
210 items four	nd			Total run ti	me: 8 minut	tes and 0 sec	onds		/						
ABC	DEFGH	IJKLN	IN OI	P Q R	ST	UVW	XY	Z							
															_

Illustration 18: "Example case ADHS, ADS (Rife): Indication transferred to a standard chipcard" (memory space)

Using this display (Illustration 17 and 18, blue marked), you can see how much space is still available on your current chipcard. How you fill this memory space of the chipcard from the Clark and Rife library is entirely up to your wishes and requirements for the chipcard.

Chipcard Creator	And a second second second second				and the second se		
Library Edit programs		Zapper	Diamond Shield \$	Ø 👬	📮 🔛 💖	2 🖻 🛍	7
Asthma Q	Select the libraries to search:	Chipcard	Clark Rife		Chipcard	10 sequences free 20 programs free	
Library Indications	Also for	Nr.	Details				
Chipcard Aspergillus according to Baklayan	Aspergillus Hay fever Liver stressed Cancer Alcohol intoxication	1	C06-01 f1 <-> c1 (8.0 seconds) 5.0 V Offset 50% + 0.3 V 4 minutes	^			
	Ascaris Bacteroides fragilis Coxsachie Virus Paragonimus Pneumocyatis canni Aflatoxin 1 Aflatoxin 2 Cytochalasin B 1	2	C06-02 h0 <-> c0 (8.0 seconds) 5.0 ∨ Offset: 50% + 0.3 ∨ 4 minutes C06-03				
Chipcard Asthma according to Asthma Dr. Clark	Cytochalasin B 2 Sterigmatocystin 1 Sterigmatocystin 1 Sterigmatocystin 3 Sterigmatocystin 4 Zearatienon Storghum mold Erpot scienctum Argyria Lycogala Steriontis	are adding a lefined chipo will use all s	an entry from the library of cards. space available on your chip OK	card Cancel			
Chipcard Asthma according to Baklayan Pronchial Asthma	Asprojulus Condida Roundworm Cough, chronic Bronchils Pherumonia Neurodermatils Peoriasis 5 Elements Metal Support Abdominal pain-rumbing a. gurgling in internal organs Biradh Bonzenso of especially when lying down Breathing heavy	6	5.0 V 07fset 50% + 0.3 V 4 minutes C06-06 11 ~ 0.6 (8.0 seconds) 5.0 V 07fset 50% + 0.3 V 4 minutes C06-07 C06-07 C06-07				
5 items found	J K L M N O	Total run ti	ime: 80 minutes and 0 secor	nds X Y Z			

Illustration 19: "Example case Asthma (from the chipcard library): transfer to a chipcard" (memory space display)



However, it is somewhat different with the indications from the chipcard library: if you want to load indications from the chipcard library (see Illustration 19, red marked) to empty chipcards, the available free space of the chipcard is <u>not</u> calculated as at the Clark or Rife library from the number of programs (as in the previous case example with

"ADHS, ADS")! For example, if you want to add an entry from the (predefined) chipcard library, the <u>entire</u> memory of the chipcard is used (this is also shown as a warning in an extra window: **see Illustration 19, green marked** and figure on the left). A program from the chipcard library occupies always one chipcard. Again, this should be clear from the illustrations (Illustration 19 and 20, blue marked).

Library Edit programs Zapper Damond Shield Image: Comparison of the comparison of t	🐑 Chipcard Creator	And Address of States	Contracting to the second of the	test featurest							ĸ
Asthma Select the libraries to search: Chipcard Clark Rife Ubrary Meetadoos Asternitive Asternit Asternitive Asterniti	Library	Edit programs				Diamond Shield \$	Ø 🚟		1 h h	9	2
Utbury Indications Allo for Attems Attems Attems Attems Attems Attems Chipcard Attems Attems Attems Attems Attems Chipcard Attems Chipcard Chipcard Attems Standards Attems Standards Standards	Asthma	٩	Select the libraries t	o search: 🖌	Chipcard	Clark Rife		Chipcard	0 sequences free 0 programs free		
Chipcard Apergina Ape	Library	Indications	Also for		Nr.	Details		> Asthma	80:00 20		
Chipcard Accris CO-622 2 0	Chipcard Aspergillus according to Baklayan	Asthma	Aspergillus Hay fever Liver stressed Cancer Alcohol intoxication	• 1	1	C06-01 f1 <-> c1 (8.0 seconds) 5.0 ∨ Offset: 50% + 0.3 ∨ 4 minutes	Î		00100 20		
Chipcard Opticitalism B 1 Opticitalism B 2 Service and the second mg to Astima Opticitalism B 1 Opticitalism B 2 Service and the second mg to Astima Co643 Service and the second mg to Astima Dr. Clark Service and the second mg to Astima Service and the second mg to Astima Service and the second mg to Astima Dr. Clark Astima according to Astima Astima according to Astima Service and the second mg to Astima Service and the second mg to Astima Chipcard Accord a Astima Accord a Astima Co640 Service and the second mg to Astima Co640 Second at Second mg to Astima Astima according to Astima Accord a Astima Co640 Second at Second mg to Astima Co640 Second at Second mg to Astima Astima according to Astima Actima accord mg to Astima Co640 Second at Second mg to Astima Co640 Second at Second mg to Astima Astima according to Astima Second mg to Astima Co640 Second at Second mg to Astima Co640 Second at Second mg to Astima Astima according to Astima Second mg to Astima Co640 Second at Second mg to Astima Co640 Second at Second mg to Astima Second mg to Astima Second mg to Astima Second mg to Astima Astima Co640 Second mg to Astima Astima Second mg to Astima Second mg to Astima Co640 Second mg to Astima Co640 Second mg to Astima Second mg to Astima Second mg to Astima Co640 Second mg to Astima			Ascaris Bacteroides fragilis Coxsackie Virus Paragonimus Pneumocystis carinii Aflatoxin 1		2	C06-02 h0 <-> c0 (8.0 seconds) 5.0 ∨ Offset 50% + 0.3 ∨ 4 minutes					
Chipcard Astima according to Branchial Astima Barayan Bernothial Astima Cough, chronic Bornchial Astima Bernothial Astima Bernothia Bernothial Astima Bernothial Astima Bernot	Chipcard Asthma according to Dr. Clark	Asthma	Cytochalasin B 1 Cytochalasin B 2 Sterigmatocystin 1 Sterigmatocystin 3 Sterigmatocystin 3 Sterigmatocystin 4		3	C06-03 c1 <-> e0 (8.0 seconds) 5.0 ∨ Offset 50% + 0.3 ∨ 4 minutes					
Address Grandia Astma according to Baklayan Address Grandia Bronchial Astima C06-05 5 th 0 0 met 20% + 0.3 V 4 minutes Astima according to Baklayan Astima Bronchial Astima C06-06 5 th 0 0 met 20% + 0.3 V 4 minutes S Elements Metal Support Addomina pan - turbing a guiging in internal organs bespecially when lying down Breabling - heavy C06-06 6 S Elements Metal Support Addomina pan - turbing a guiging in internal organs bespecially when lying down Breabling - heavy C06-07 rt to all (8 beconds) 0 0 met 20% + 0.3 V 4 minutes S Items found Total run time: 80 minutes and 0 seconds A B C D E F G H I J K L M N O P Q R S T U V W X Y Z			2 earailenion Sorghuum moid Griseofulvin Ergot sclerotium Argyria Lycogala Stemonitis		4	C06-04 a0 <-> c1 (8.0 seconds) 5.0 ∨ Offset 50% + 0.3 ∨ 4 minutes					
Pagnasis Mit was \$18.0 seconds) 5 Elements Metal Support 6 Abdommal pain - rumbing 9 a gurging in itema lorgans 6 Break CO6-07 especially when lying down e1 < a still 8 d seconds)	Chipcard Asthma according to Baklayan	Asthma Bronchial Asthma	Ascaris Aspergillus Candida Roundworm Cough, chronic Bronchits Pneumonia Neurofermatitis	e i	5	C06-05 h0 <-> e0 (8.0 seconds) 5.0 ∨ Offset: 50% + 0.3 ∨ 4 minutes C06-06					
especially when lying down Breathing - heavy 5 items found A B C D E F G H I J K L M N O P Q R S T U V W X Y Z			Psoriasis 5 Elements Metal Support Abdominal pain - rumbling a. gurgling in internal organs Breath – shortness of		6	h1 ↔ e1 (8.0 seconds) 5.0 ∨ Offset 50% + 0.3 ∨ 4 minutes C06-07					
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z			especially when lying down Breathing – heavy	•		r1 <.> 30 /8 0 cornnde)	•				
	5 items found	DEFGH	H I J K L M	NO	Iotal run til	me: 80 minutes and 0 sec	X Y Z				

Illustration 20: *"Example case Asthma (from the chipcard library): transfer to a chipcard" (memory space display)*



In the top right corner of your Chipcard Creator, you'll see eight different symbols (see picture, from left to right) (also Illustration 16, green marked):



"Save changes to the chipcard": Attention, with the standard chipcards, the selected sequences / programs cannot be changed after saving them to the chipcard, since they can only be written once! With a licensed Pro version and because of its multiple-writable master chipcards, this process can be

used without any reservations, because it can be easily modified and therefore can be undone again.



"Add Sequence": Can only be used with the paid Pro version and a valid license key, the free standard version it is not selectable / unavailable.



"Add frequency program: Can only be used with the paid Pro version and a valid license key, the free standard version it is not selectable / unavailable.



"Cut", "Copy" and "Paste" icons: Can only be used with the paid Pro version and a valid license key, the free standard version it is not selectable / unavailable.



"Discard all changes and reload chipcard": If you want to discard changes on your chipcard and reload the chipcard, press this button. The button is only active if the chipcard has been modified.



"Delete the content of the chipcard": Can only be used with the paid Pro version and a valid license key, the free standard version it is not selectable / unavailable. Because standard chipcards can only be described once and only master chipcards can be described several times!

Use chipcards with the Diamond Shield OR a Biowave Zapper:

Before you create a chipcard, it is important that you know which device the chipcard is to be used for - because once you have decided, you cannot revoke this decision.

Diamond Shield Zapper:

If the device used with your chipcard is part of the Diamond Shield series, you do not need to perform any further actions - you can simply use your chipcard in your USB – chipcard writer and save your selected programs.

Biowave Zapper:

If the device using the chipcard is a Biowave Zapper, you must first format the chipcard before you can save the selected programs.

This chipcard is not yet i	formatted for the Biowave
Zapper. Once formatted it can b	a langer be used for the
Once formatted, it can n	o longer be used for the
Diamond Shield Zappers	S.
Diamono Shielo Zappers	s.
Diamond Shield Zappers	s. t for the Biowave now?

BUT ATTENTION:

Once the chipcard is formatted for Biowave, you <u>cannot</u> revoke this step! The chipcard cannot be used with a Diamond Shield Zapper after formatting.

Up to this point, this guide has been completely related to the free standard version of the Chipcard Creator. This free variant can however also be converted into a paid Pro version (with extended range of services). In addition to the range of services of the normal standard version, the following functions are added:

• Frequencies according to Dr. Clark and Dr. Rife	Pro Version:
 Frequencies according to natural health professional Alan E. Baklayan Standard – Programs (Chipcard) TCM – Programs (Acupuncture without needles) → coming soon and will be added in one of the upcoming updates Search for different indications Writing on standard chipcards (with the free software version it is only possible to write on the chipcards (available in different sizes) for one time!) 	 Writing on master chipcards (writable for multiple times) Editing of existing programs, for example adding sequence or frequency programs Changing the order of different programs Creating new individual programs and much more

Instructions for unlocking the paid Pro Version:

If you now want to upgrade your free standard version to the paid Pro version (with extended range of services, see description above), the following steps must first be carried out:



Illustration 21: "Homepage of the Healing Frequency website" (www.healing frequency.com)

If you have already downloaded the free standard version successfully on the website **www.healingfrequency.com** (for the description, see page 5ff. of this manual) and have decided to upgrade your program to the paid Pro version (to get the extended range of services like the ability to write multiple rewritable master chipcards, edit existing programs, change the order of the various programs, or even create your own programs), follow these steps:

- Open your already installed, free standard version of the Chipcard Creator.
- Now, click on the little gearwheel in the upper right part of the Chipcard Creator (Illustration 23, red marked).



Illustration 23: "Start screen of the Chipcard Creator" (gear / settings)

S Contact and License		
Copyright ©	Healing Frequency Limited 111 How Ming Street Kwun Tong, Hong Kong	
Contact	info@HealingFrequency.com	
Version of Chipcard Creator	1.2.0.0	
Current installation id	J3WU 9K1S S733 B51F RUFJ C93H NN	сору
Licensed installation id		сору
Info	Windows install date: 2010-01-15 Win32_ComputerSystemProduct.UUID: 806D1B91-2DDE-4E04- ACB7-83791DB30B41 Win32_Processor.Name: Intel(R) Core(TM)2 Duo CPU E7500 @ 2.93GHz Win32_Processor.NumberOfCores: 2	сору
Available chipcard readers	ACS CCID USS Reader 0	select
Selected chipcard reader		
	OK	Cancel

Illustration 24: Chipcard Creator (gear wheel): "Contact and License"

- If you clicked on the gear wheel, another so-called "contact and license" window opens (Illustration 24).

- Under "Current installation id" you will see your individual 26-digit code (Illustration 24, red marked).

- If you would like to upgrade your standard version to the paid Pro version, please send your individual 26-digit code (Illustration 24, red marked) and your complete first and last name in an e-mail to:

@healingfrequency.com

- After successful payment, you will receive a confirmation mail that you have successfully enabled to use the Pro version. Finished! The next time you open your Chipcard Creator, you are a happy owner and user of the Pro version and can now, in addition to the current range of your standard version, write master chipcards, use the editing function for existing programs, change the sequence of the different programs, create your own programs, sequences, add frequency programs and much more!
- If you now open your Chipcard Creator again and click on the gear wheel in the upper right-hand area (Illustration 23), you will see your "Licensed installation id" under your "Current installation id" (Illustration 24). Congratulations!

Attention!

Please note that this activation is linked to ONE computer! The installation key (and thus also the license key) is tied to one device (since it is generated automatically) and – if you have used it for your PC, for example – can no longer be connected to another device of your choice (such as a laptop), because the installation key is automatically generated and calculated from the installed operating system and the hardware which you used.

So if you need to install a new (or another) operating system on your computer where you have licensed your Pro version, the now obsolete key, which is no longer usable, must first be deactivated and after installing the new operating system (with a newly generated installation key) activated again with a new license key. This is similar to the one described above: You send an e-mail to info@healingfrequency.com with the code to be deactivated (deprecated), your current installation key and your full name. A simple deactivation and reactivation on another device – for example when buying a new computer – is free, as long as the license key is only used for one device.

System requirements for the software:

Computer with Windows 7 / Windows 8.1 / Windows 10 USB – port / internet connection With the now successfully released Pro version, you can use the entire range of the software. For example, you can create multiple rewritable master chipcards (see Illustration 25, red marked), create new folders, edit programs (Illustration 26), edit them as you wish, add sequences and programs and much more (Illustrations 26 – 28). The various programs can also be edited by the user of a Pro version (see examples Illustration 25 – 28).

Chipcard Creator	Dagan is in principal	and the second second second	and a state) faint days	manyin, s						- 0	×
Library	Edit programs				Diamond	Shield 🗘	Ø		📮 🛀 📫	1 🗈 💼	-	8
	<u>Q</u>	Select the libraries t	o search:	Chipcard	 Clark 	✔ Rife			Mastercard	10 sequences free 58 programs free	J	
Library	Indications	Also for		Nr.		Details						
Rife	ADHD ADD	Dyslexia	2	1	3Hz 0.5 V Offset: 0 V 4 minutes							
Rife	AIDS		1	2	230Hz 0.5 V Offset: 0 V							
Rife	AIDS Virus	HIV			4 minutes							
Rife	AIDS Virus	HIV	1									
Rife	AIDS Virus	HIV										
Rife	AIDS Virus	HIV										
Rife	AIDS Virus	HIV										
Rife	ALS Amyotrophic lateral sclerosis											
Rife	Abdominal Inflammation											
Rife	Abdominal Inflammation											
Rife	Abdominal Inflammation											
210 items fou	nd			Total run	time: 8 minu	tes and 0 seco	nds					
ABC	DEFGH	IJKLM	NO	PQR	ST	UVW	XY	Ζ				

Illustration 25: "View of the Chipcard Creator (Pro Version) with inserted master chipcard"

Chipcard Creator	Region of Solide State	and agents, 1 work in contrast () have been	analyte a R				x
Library	Edit programs		Diamond Shield	\$ 0	🧧 📫 👷 🐰		7
	On the right l	hand side, click on the chipcard sequence or program	n you want to edit.		Mastercard 9 st	quences free rograms free	
					> ADHD 8:00	2	

Illustration 26: "Performance range of the paid Pro version: editing examples"

Chipcard Creator	Pages 1 Distantion	regist, 1 in work processing 1, 1) how does	angle a B				- • ×
Library	Edit programs		Diamond Shield	۵ 🏟	👎 📫 🕵	1 🖻 💼	7 🦉
	On the right har	nd side, click on the chipcard sequence or program	n you want to edit.		Mastercard	9 sequences free 56 programs free	
		sequence name ADHD			ADHD	8:00 2.	

Illustration 27: "Performance range of the paid Pro version: editing examples"

pcard Creator	Pages 1 John Barries	regist, 1 with designed () have	naj managéna, a 🖉			Lai
Library	Edit programs		Diamond Shield	÷ 🏟 🔡	🤋 📫 I	🧐 🐰 🖻 📫 🖣
					Mastercard	9 sequences free
	On the right han	d side, click on the chipcard sequence or proc	gram you want to edit.			
					✓ ADHD	8:00 2
	program name	8 3			230	4:00
	frequency	3,00 wobble	no 🗘			
	frequency 2	wobble time				
	const amps	intencity	- n2v +			
	Hursting	04:00	0,2.4			
	duradon	- Office - Office	110 V			
	modulation	modulation number				
	impulse / pause					
	time active	time pause				

Illustration 28: "Performance range of the paid Pro version: editing examples"

Another interesting feature is that you can also write sequences for your old Biowave Zapper on chipcards. To do this, you must select the "Biowave" as the desired Zapper model (see Illustration 29, red marked) in the start screen of the Chipcard Creator instead of the preselected "Diamond Shield" (for example Illustration 5):

Chipcard Creator	a in the second se	agent, 1 is much sense	10. 17 million) faint day	ernanyin, s					- • ×
Library E	dit programs				Blowave	0	Ø			
	Q	Select the libraries to	search:	🖌 Chipcar	d 🖌 Clark	✓ Rife				
Library	Indications	Also for		Nr.		Details				
Rife	ADHD ADD	Dyslexia	9	1	3Hz 0.5 V Offset 0 V 4 minutes					
Rife	AIDS			2	230Hz 0.5 V Offset 0 V					
Chipcard Veneral disease according to Dr. Clark	AIDS HIV	Veneral disease Syphilis Treponema palidum Wart H-P cervical smear Wart H-P cervical smear Herpes simplex 3 Herpes simplex 3 Herpatis B Chlamydla Neisseria gonorrhea Trichomonas Haemophilus influenzae			4 minutes				Please insert a	
Rife	AIDS Virus	HIV							chipcard	
Rife	AIDS Virus	HIV	1							
Rife	AIDS Virus	HIV								
Rife	AIDS Virus	HIV								
Rife	AIDS Virus	HIV								
		Fasciola hepatica Clonorchis sinensis		•						
281 items found	E F G H	I J K L M	NO	Total ru	n time: 8 minu R S T	utes and 0 sec	conds	Z		

Illustration 29: "View of the Chipcard Creator: Select the desired Zapper model (in this case Biowave)"



If you have selected the Zapper model "Biowave" and an empty chipcard (whether it is one of the standard chipcards or one of the master chipcards) is connected to your computer in the USB – chipcard writer, the program asks if the inserted chipcard should be formatted for the Biowave (see Illustration 30, to the left).

Illustration 30: "Warning for the formatting of the chip card (Biowave)"

Attention: Once the chipcard has been formatted, it can no longer be used in Diamond Shield models!!! Naturally, only a fraction of the sequences and programs can be used on the Biowave. The full range of features is only available with the Diamond Shield models. Of course you can also use your software in German language if you prefer. Simply click on the flag in the upper part of your software (Illustration 31, red marked) and select the preferred language (currently available in German or English).

Chipcard Creator	a in the decider of	agent, a " when manager, a	3 blacker talspla. 1 B	– – ×
Library E	dit programs		Zapper Biowave 🗘 🔅 🗮	
	<u>Q</u>	Select the libraries to search:	Chipcard Clark Rife English	
Library	Indications	Also for	Nr. Details	
Chipcard Veneral disease according to Dr. Clark	AIDS HIV	Veneral disease Synhiis Trepomena pallidum Wari HP Gevorala simaar Wari HP/ Wari HP/ HP/ Herpes simplex 3 Herpes simplex 3 Herpats B Chlamydia Neisseria gonorrhea Trichomonas Haemophilus influenzae	C23-01 d1 ≪> c0 (8.0 seconds) C3-02 C3-02 D(≪> f1 (8.0 seconds) C23-02 D(≪> f1 (8.0 seconds) S,0V O'met-50% + 0.3.V	
Chipcard ALS Amyotrophic Lateral Sciences according to Dr. Clark	ALS Amyotrophic Lateral Sclerosis	Fascicla hepatea Cionorchis simensis Fascioloppis buski Euryfrem panceaticum Singella 1 Singella 1 Nocardia 2 Nocardia 2 Echinostoma revolutum Echinoparyhum recurvatum Gastothytax elongatus Sterptococcus 2 Sterptococcus 2	c2303 3 c1 ≪ c0 (8 0 seconds) 50V 0 minutes 23 seconds C2304 4 50V 0 Minutes 23 seconds C2304 50V 0 Minutes 23 seconds C2305 C2305 0 0 < 0 (8.0 seconds)	
Chipcard 5 Elements Fire Support according to Baklayan	stathyliococcus 5 Elements Fire Support Concentration power reduced Diarrhea Insomnia Patipitation – spontaneous Reduced ability to remember Stool with undigested residues Precordial anxiety		6 6 6 6 6 6 16 16 16 1	
		5 Elements Fire Damping radiating into loins, hips	C23-07	
71 items found	E F G H	1 J K L M N O	Total run time: 83 minutes and 0 seconds	

Illustration 31: "Language selection (German or English)"

With this guide, you should be well equipped to use the "Healing Frequency" software and the Chipcard Creator. Now we can only wish you a lot of fun with testing, experimenting and creating your personal, individual chip cards!



Have fun with the "Healing Frequency"

Healing Frequency

Price listing "Healing Frequency"



(Stand 13.07.2017 – We reserve us the right to make changes)

www.healingfrequency.com/en/

Library	Indications	Also for		Nr	Details	
card eral disease according to Clark	AIDS HIV	Veneral ikes rok Veneral ikesase Syphihis Treponema pallidum Wart Human Papilioma Jiantar Wart HPV Herpes simplex 1 Herpes simplex 2 Herpes simplex 3 Hepatits B Chiamyta Trichomonas Trichomonas Haemophilus influenzae		2	C23-01 offic=0180 seconds) 50V offic=1054 - 0.3 V 6 mnubes 23 seconds C23-02 D0=rt 18.0 seconds) S.0 V Officet=50% = 0.3 V officet=50% = 0.3 V	
Shipcard LLS Amyotrophic Lateral Sciencesis according to Dr. Clark	ALS Amyotrophic Lateral Scienosis	Pascikla hepote Clorocritis islemios Fasciolopois busid Eurytema pancraticum Singelia 1 Singelia 2 Singelia 2 Singelia 2 Nocardia 2 Echinosotima revolutum Echinosotima revolutum Echinosotima revolutum Stereptococcus 2 Stereptococcus 3 Stereptococcus 3	1	3	C23-03 C1 → C0 8 seconds) 5.0 V Offlet C0% + 0.3 V offlet C0% + 0.3 V offlet C0% + 0.3 V 0 C23-04 30 ← 0 4 (8.0 seconds) 5.0 V Offlet C0% + 0.3 V 6 minules 23 seconds C23-05 0 → 0 0 (8.0 seconds)	Please insert a chipcard
5 Elemente Consentat Elements Fire Support Abdomen - pain Palptation Palptation Stool with Precordal i Precordal		5 Elements Fire Support Concentration power reduced Unionnia Historina Paripitation Paripitation – spontaneous Reduced ability for remember Stool with undigested residues Precordial anxiety		6	5.0 V Offlet: 5014 - 0.3 V 6 minules 23 exconds C23-06 11 ≤ - 01 (6.0 seconds) 5.0 V Offlet: 5014 - 0.3 V Offlet: 5014 - 0.3 V Offlet: 5014 - 0.3 V	
		5 Elements Fire Damping radiating into loins, hips scrotum testicles		•	C23-07 e1 <>> hill (R Il eeronde)	

Art.Nr.	Article	Quantity	Price
	Software: Standard Version	1 piece	free
1050	Software: Pro Version (Software License, 5x Standard Master Chipcards (writable for multiple times), USB – Chipcard writer, Frequency fibel II (book)	1 piece	999,00€

Art.Nr.	Article	Quantity	Price
1051	USB – Chipcard writer (necessary for writing on chipcards)	1 piece	29,80€
1052	Standard Chipcard, 1x writable (20 Slots)	1x (20 Slots)	19,90€
1053	Standard Chipcard, 1x writable (30 Slots)	1x (30 Slots)	24,90€
1058	Starter – Set (small) (3x Standard Chipcards + 1x USB – Chipcard writer)	1 Set	79,90€
1054	Starter – Set (5x Standard Chipcards + 1x USB – Chipcard writer)	1 Set	99,90€
1055	Master Chipcard (writable for multiple times, for Pro Version) (standard – 56 Slots) (size: S)	1x (S)	24,80€
1056	Master Chipcard (writable for multiple times, for Pro Version) (middle – 160 Slots) (size: M)	1x (M)	49,00€
1057	Master Chipcard (writable for multiple times, for Pro Version) (big – 256 Slots) (size: L)	1x (L)	198,00€

Which Zappers are compatible with the "Healing Frequency" software?



The software "Healing Frequency" is especially compatible with all versions of the Diamond Shield Zapper series, as well as Biowave generations.

But since the Diamond Shield series is rather new and highly developed only with this device will every function work

- therefore, it is highly recommendable to use this brand.

Compatible Zappers are:

- Diamond Shield Zapper IE
- Diamond Shield Crystal Zapper
- Diamond Shield Biowave 42 Zapper
- Diamond Shield Professional Zapper
- Biowave Golden Harmony
- Biowave 77
- Biowave 21 LCD / Golden Stream

Zappers for the "Healing Frequency" software

Different zapper brands, that are compatible with the software "Healing Frequency":

Two zapper brands are compatible with the new software: the Diamond Shield series and the Biowave series. Because of its new technology and greater service options the Diamond Shield Zapper is very recommendable, since the Biowave is not functioning with a lot of programs and options – but this will be steadily worked on.



Diamond Shield Zapper IE

One can use the zapper with the well being frequency programs developed by Dr. Clark, Dr. Rife, Dr. Beck and HP Baklayan. It can be used for regulating the Zappicator and for Plate-Zapping. Many additional Chipcards are available.

Following programs are included in the zapper:

- programs for well being (17 standard programs)
- Discharge function
 - System of harmonic oscillations by Baklayan



Diamond Shield Crystal Zapper

The Diamond Shield Crystal Zapper is the new and more developed version of the Diamond Shield IE and contains new programs and functions.

While the Diamond Shield Zapper, as the name indicates, is a basic treatment to protect the body from the outside against all influences as a shield by flushing the meridians, creating a better flow, and through the energy network of the body readjusts healing processes, the Crystal Zapper assigns around each acupuncture point of each meridian all structures and the ones with which this meridian is connected. It detoxifies this area further and deeper.

So this is the first system in the world that actually cleanses the body deeper yet gently on an energetic basis.

Diamond Shield Professional Zapper

The Diamond Shield Professional Zapper is really similar to the Diamond Shield IE. But there is one great difference: especially for therapists, natural health professionals and zapper professionals there is a possibility to create their own individual programs and save them on a chipcard which can be given to patient or use for own purposes.



Chipcards can be programmed as often as you like. These individually created Chipcards can be used with the Diamond Shield IE (not on the "Healing Frequency" software, but on chipcards, which have been programmed with a Diamond Shield Professional).



Diamond Shield Biowave 42 Zapper

This Zapper version is ideal for beginners and zapper newcomers, because of its fair price and easy handling. The simple Clark Zapper by Dr. Hulda Clark has been successfully continued with the Biowave 42, improved and now contains all Clark basic programs that further the well being. You can upgrade your Biowave 42 anytime to a Diamond Shield IE or a Diamond Shield Crystal Zapper.

Cheap but nevertheless with high quality and performance – the Biowave 42 is perfect for testing and to get to know the Zapper.

Biowave 21 LCD | Golden Stream

The standard Biowave 21 LCD is a frequency device with 10 basic programs, which can be upgraded to a Biowave Golden Stream. The Golden Stream is the predecessor to the Biowave Golden Harmony. It contains options like constant zapp, programs according to Clark and TENS programs.

It is more extensive than the simple Clark Zapper and contains frequencies according to Clark, Beck and Rife.





Biowave 77

The Biowave 77 Zapper is perfect for everyone who wants to create their own frequency programs and furthermore want to us all frequency chips for Biowave.

Frequency programs can be created and saved on a chip. Additionally it contains constant zapp and Clark, Rife and Beck programs.

Biowave Golden Harmony

The Biowave Golden Harmony is the development of the Biowave Golden Stream with tesla inductors and 10 new frequency programs.

